Journal of the Neurological Sciences, 1988, 88: 353–355
Elsevier

Author Index (Vol. 88)

Albani, M., Lowrie, M.B. and Vrbová, G.
Reorganization of motor units in reinnervated muscles of the rat, 195
Antia, N.H., see Shetty, V.P., 115
Antony, J.H., see Harvey, G.K., 207
Avraham, K.B., see Yarom, R., 41

Ball, J.A., Burnet, P.W.J., Bretherton-Watt, D. and Bloom, S.R.
Increase in diazepam binding inhibitor-like immunoreactivity (51–70) in Huntington's disease, 177
Barth, P.G., see Wanders, R.J.A., 1
Bloom, S.R., see Ball, J.A., 177
Blue, J.T., see Valentine, B.A., 69
Bos, J.T., see Wolters, E.C., 229
Bretherton-Watt, D., see Ball, J.A., 177
Brosnan, J.V., King, R.H.M., Thomas, P.K. and Craggs, R.I.
Disease patterns in experimental allergic neuritis (EAN) in the Lewis rat. Is EAN a good model for the Guillain-Barré syndrome?, 261
Brumback, R.A., see Feeback, D.L., 219
Burnet, P.W.J., see Ball, J.A., 177
Byrne, E., Trounce, I., Dennett, X., Gilligan, B., Morley, J.B. and Marzuki, S.
Progression from MERRF to MELAS phenotype in a patient with combined respiratory complex I and IV deficiencies, 327

Carrington, P.A., see Mahon, M., 55
Catz, I., see Warren, K.G., 185
Chung, S.J., see Woo, M., 133
Cooper, B.J., see Valentine, B.A., 69
Craggs, R.I., see Brosnan, J.V., 261
Cumming, W.J.K., see Mahon, M., 55

Dangain, J. and Vrbová, G.
Response of dystrophic muscles to reduced load, 277
De Jonghe, P., see Raeymaekers, P., 145
De Lahunta, A., see Valentine, B.A., 69
De Visser, M., Ongerboer de Visser, B.W. and Verjaal, M.
Amyotrophy of the hands and pyramidal features of predominantly the legs segregating within one large family, 241
Dennett, X., see Byrne, E., 327

Emsbroek, L.J., see Wolters, E.C., 229
Evans, D.I.K., see Mahon, M., 55

Farber, M.O., see Potter, C.G., 293
Feeback, D.L., Locklear, I. and Brumback, R.A.
Metabolic myopathy produced by dinitrofluorobenzene inhibition of creatine phosphokinase, 219
Ford, H.C., see Wheeler, T.T., 151
Frohman, E.M., Frohman, T.C., Vayuvegula, B., Gupta, S. and van den Noort, S.
Vasoactive intestinal polypeptide inhibits the expression of the MHC class II antigens on astrocytes, 339
Frohman, T.C., see Frohman, E.M., 339

Gansmüller, A., see Lubetzki, C., 161
Gheuens, J., see Raeymaekers, P., 145
Gilligan, B., see Byrne, E., 327
Groner, Y., see Yarom, R., 41
Gumpel, M., see Lubetzki, C., 161
Gupta, S., see Frohman, E.M., 339

Harper, P.S., see Lunt, P.W., 287
Harvey, G.K., Schindhelm, K., Antony, J.H. and Pollard, J.D.
Membrane plasma exchange in experimental allergic neuritis: effect on antibody levels and clinical course, 207
Havivi, Y., see Yarom, R., 41
Heymans, H.S.A., see Wanders, R.J.A., 1
Hische, E.A.H., see Wolters, E.C., 229

Jacobs, J.M., see Shetty, V.P., 115
Jennekens, F.G.I., see Wokke, J.H.J., 95

King, R.H.M., see Brosnan, J.V., 261

Kristmundsdottir, F., see Mahon, M., 55

Lachapelle, F., see Lubetzki, C., 161
Lindboe, C.F. and Løberg, E.M.
The frequency of brain lesions in alcoholics. Comparison between the 5-year periods 1975–1979 and 1983–1987, 107
Løberg, E.M., see Lindboe, C.F., 107
Locklear, I., see Feeback, D.L., 219
Lombrail, P., see Lubetzki, C., 161
Lowrie, M.B., see Albani, M., 195
Lubetzki, C., Gansmüller, A., Lachapelle, F., Lombrail, P. and Gumpel, M.
Myelination by oligodendrocytes isolated from 4–6-week-old rat central nervous system and transplanted into newborn shiverer brain, 161
Lunt, P.W., Noades, J.G., Upadhyaya, M., Sarfarazi, M. and Harper, P.S.
Evidence against location of the gene for facioscapulohumeral muscular dystrophy on the distal long arm of chromosome 14, 287

Mahon, M., Cumming, W.J.K., Kristmundsdottir, F., Evans, D.I.K. and Carrington, P.A.
Familial myopathy associated with thrombocytopenia: a clinical and histomorphometric study, 55
Martin, J.-J., see Raeymaekers, P., 145
Marzuki, S., see Byrne, E., 327
Matilainen, R., see Pitkänen, A., 83
Mitsuma, T., see Yasuda, T., 315
Morley, J.B., see Byrne, E., 327
Muylle, L., see Raeymaekers, P., 145

Noades, J.G., see Lunt, P.W., 287
Nonaka, I., see Woo, M., 133

O'Quinn, R., see Valentine, B.A., 69
Oertel, G.
Morphometric analysis of normal skeletal muscles in infancy, childhood and adolescence. An autopsy study, 303
Ongerboer de Visser, B.W., see De Visser, M., 241

Pagala, M.D.K., see Shah, A.J., 247
Peterson, R.G., see Potter, C.G., 293
Pitkänen, A., Matilainen, R., Ruutiainen, T. and Riekkinen, P.
Levels of total γ-aminobutyric acid (GABA), free GABA and homocarnosine in cerebrospinal fluid of epileptic patients before and during γ-vinyl-GABA (vigabatrin) treatment, 83
Pollard, J.D., see Harvey, G.K., 207
Potter, C.G., Sharma, A.K., Farber, M.O. and Peterson, R.G.
Hypoglycemic neuropathy in experimental diabetes, 293

Raeymaekers, P., De Jonghe, P., Swerts, L., Muylle, L., Gheuens, J., Martin, J.-J., Van Broeckhoven, C. and Vandenberghe, A.
Absence of linkage with the Duffy blood group in a family with Charcot-Marie-Tooth neuropathy, 145
Riekkinen, P., see Pitkänen, A., 83
Ruutiainen, T., see Pitkänen, A., 83

Sahgal, V., see Shah, A.J., 247
Sapoznikov, D., see Yarom, R., 41
Sarfarazi, M., see Lunt, P.W., 287
Schickler, M., see Yarom, R., 41
Schindhelm, K., see Harvey, G.K., 207
Schutgens, R.B.H., see Wanders, R.J.A., 1
Shah, A.J., Pagala, M.D.K., Subramani, V., Venkatachari, S.A.T. and Sahgal, V.
Effect of fiber types, fascicle size and halothane on caffeine contractures in rat muscles, 247
Sharma, A.K., see Potter, C.G., 293
Shetty, V.P., Antia, N.H. and Jacobs, J.M.
The pathology of early leprous neuropathy, 115
Sobue, G., see Yasuda, T., 315
Starink, T.M., see Wolters, E.C., 229
Subramani, V., see Shah, A.J., 247
Swerts, L., see Raeymaekers, P., 145

Tager, J.M., see Wanders, R.J.A., 1
Takahashi, A., see Yasuda, T., 315
Thomas, P.K., see Brosnan, J.V., 261
Trounce, I., see Byrne, E., 327
Tutuarima, J.A., see Wolters, E.C., 229

Upadhyaya, M., see Lunt, P.W., 287

Valentine, B.A., Cooper, B.J., de Lahunta, A., O'Quinn, R. and Blue, J.T.
Canine X-linked muscular dystrophy. An animal model of Duchenne muscular dystrophy: clinical studies, 69
Van Broeckhoven, C., see Raeymaekers, P., 145
Vandenberghe, A., see Raeymaekers, P., 145
Van den Bosch, H., see Wanders, R.J.A., 1
Van den Noort, S., see Frohman, E.M., 339
Van den Oord, C.J.M., see Wokke, J.H.J., 95
Van der Helm, H.J., see Wolters, E.C., 229
Van Eijk, R.V.W., see Wolters, E.C., 229
Van Gijn, J., see Wokke, J.H.J., 95

Van Trotsenburg, L., see Wolters, E.C., 229
Vayuvegula, B., see Frohman, E.M., 339
Veldman, H., see Wokke, J.H.J., 95
Venkatachari, S.A.T., see Shah, A.J., 247
Verjaal, M., see De Visser, M., 241
Vrbová, G., see Albani, M., 195
Vrbová, G., see Dangain, J., 277

Wanders, R.J.A., Heymans, H.S.A., Schutgens, R.B.H., Barth, P.G., van den Bosch, H. and Tager, J.M.
Peroxisomal disorders in neurology (Review article), 1
Warren, K.G. and Catz, I.
Neutralization of anti-myelin basic protein by cerebrospinal fluid of multiple sclerosis patients in clinical remission, 185
Wheeler, T.T. and Ford, H.C.
A search for protein abnormalities in erythrocyte membranes and platelets from patients with multiple sclerosis using double-label two-dimensional electrophoresis, 151
Wokke, J.H.J., Jennekens, F.G.I., van den Oord, C.J.M., Veldman, H. and van Gijn, J.
Histological investigations of muscle atrophy and end plates in two critically ill patients with generalized weakness, 95
Wolters, E.C., Hische, E.A.H., Tutuarima, J.A., van Trotsenburg, L., van Eijk, R.V.W., Bos, J.D., Starink, T.M., Emsbroek, L.J. and van der Helm, H.J.
Central nervous system involvement in early and late syphilis: the problem of asymptomatic neurosyphilis, 229
Woo, M., Chung, S.J. and Nonaka, I.
Perifascicular atrophic fibers in childhood dermatomyositis with particular reference to mitochondrial changes, 133

Yarom, R., Sapoznikov, D., Havivi, Y., Avraham, K.B., Schickler, M. and Groner, Y.
Premature aging changes in neuromuscular junctions of transgenic mice with an extra human CuZnSOD gene: a model for tongue pathology in Down's syndrome, 41
Yasuda, T., Sobue, G., Mitsuma, T. and Takahashi, A.
Peptidergic and adrenergic regulation of the intracellular 3′,5′-cyclic adenosine monophosphate content in cultured rat Schwann cells, 315

Journal of the Neurological Sciences, 1988, 88: 356–357
Elsevier

Subject Index (Vol. 88)

Achilles tenotomy, 277
β_1-Adrenergic receptor, 315
Adrenoleukodystrophy, 1
Age, 261
Alcoholic cerebellar atrophy, 107
Alcoholism, 107
γ-Aminobutyric acid (GABA), 83
Aminoglycosides, 95
Amyotrophy of hands, 241
Animal model, 69
Anti-myelin, 207
Anti-myelin basic protein, 185
Antibody, 207
Asymptomatic neurosyphilis, 229
ATP, 219
Autoantibody, 185
Autoimmunity, 261
Autosomal dominant, 241
Axon degeneration, 115

Brain weight, 107

Caffeine contracture, 247
Canine muscular dystrophy, 69
Cerebrospinal fluid, 83, 185
Charcot-Marie-Tooth disease, 145
Childhood dermatomyositis, 133
Chromatography, 177
Chromosome 14, 287
Contractile properties, 277
Contracture, 219
Cramp, 219
Creatine phosphokinase, 219
Critical illness, 95
CuZnSOD gene, 41
Cyclic AMP, 315
Cytochrome aa_3, 327
Cytochrome *c* oxidase, 133

Demyelination, 115
Diazepam binding inhibitor-like immunoreactivity(51–70), 177
Dinitrofluorobenzene, 219
Double-label, 151
Duffy blood group, 145

Electrical stimulation, 277
Epilepsy, 83
Erythrocyte, 151
Exchange, 207
Experimental allergic neuritis, 207, 261
Experimental diabetes, 293

Facioscapulohumeral muscular dystrophy, 287
Familial myopathy, 55
Fatigue characteristics, 277
Fatty acid, 1
Fiber size, 303

GABA derivative, 83
Gel electrophoresis, 151
Genetic linkage, 287

Halothane, 247
Histochemistry, 55
Huntington's disease, 177
Hypoglycemia, 193

Immunoglobulin, 287
Immunological resistance, 261
Inborn error, 1
Insulin treatment, 293
Interferon-γ (IFN-γ), 339
Intrathecal antibody production, 229
Iodoacetate, 219
Ischemia, 133

Leprosy, 115
Lewis rat, 261
Linkage analysis, 145

Malignant hyperthermia, 247
Matured oligodendrocytes, 161
Mechanical properties, 277
MELAS, 327
Membrane protein, 151

MERRF, 327
MHC class II antigens, 339
Mitochondria, 133
Mitochondrial encephalopathy, 327
Mitochondrial respiratory complex I, 327
Morphometry, 55
Motor end plate, 95
Motor unit, 195
Multiple sclerosis, 151, 185
Muscle atrophy, 95
Muscle biopsy, 55
Muscle fiber type(s), 195, 247
Muscle pathology, 69
Muscular dystrophy, 69, 277
Myelination, 161
Myopathy, 219

NADH-ubiquinone reductase, 327
Nerve biopsy, 115
Neuropathy, 293
Neurosyphilis, 229
NMJ morphometry, 41
Normal infants and children, 303

Passive stretch, 277
Perifascicular atrophy, 133
Peroxismal disorder, 1
Peroxisome, 1
Plasma, 207
Platelet, 151
Premature aging, 41

Radioimmunoassay, 177
Reinnervation, 195
Respiratory chain defects, 327
Rhabdomyolysis, 219

Schwann cells, 315
Secretin, 315
Seizure, 83
Shiverer transplantation model, 161
Skeletal muscle, 277, 303
Spastic paraplegia, 241
Sprouting, 95
Syphilis, 229

Thrombocytopenia, 55
TPHA, 229
Transgenic mice, 41
Two-dimensional electrophoresis, 151

Unmyelinated axons, 115

Vasoactive intestinal polypeptide (VIP), 315, 339
VDRL, 229
Vecuronium bromide, 95
γ-Vinyl-GABA, 83

Wernicke's encephalopathy, 107

X-linked muscular dystrophy, canine, 69

Zellweger syndrome, 1